FAX TRANSMITTAL COVER SHEET CENTRAL FAX CENTER

2004

CONLEY ROSE, P.C. 600 Travis, Suite 7100 Houston, Texas 77002

Fax Number: (713) 238-8008 Telephone Number: (713) 238-8000

	ORIGINAL WILL FOLLOW VIA
	MAIL
	INTERNATIONAL AIRMAII
	COURIER
\boxtimes	WILL NOT FOLLOW
	HAND DELIVERY
\sqcap	WITH ENCLOSURE(S)
Ħ	WITHOUT ENCLOSURE(S)
	• • • • • • • • • • • • • • • • • • • •

PLEASE DELIVER THE FOLLOWING PAGES IMMEDIATELY TO:

NAME:

CUSTOMER SERVICE FOR GROUP ART UNIT 2862

FIRM:

U.S. PATENT & TRADEMARK OFFICE

CITY:

ALEXANDRIA, VIRGINIA

FAX NO:

703-872-9306

REMARKS: Serial No. 10/608,734, filed June 27, 2003

Total Number of Pages (Including This One): Two (2)

FROM: Daniel J. Krueger, Direct Dial No. 713/238-8055

DATE: September 17, 2004

ATTORNEY DOCKET NO. 2149-00300

IF YOU DO NOT RECEIVE ALL THE PAGES, PLEASE CALL BACK AS SOON AS POSSIBLE.

This facsimile, and the information it contains, is intended to be a confidential communication only to the person or entity to whom it is addressed. If you have received this facsimile in error, please notify us by telephone at the above telephone number and return the original to this office by mail.

Date: September 17, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE CENTRAL FAX CENTER SEP 1 7 2004

Applicant:	Arthur E. BARNES	Ş	Confirmation No.:	7757
		8		

Serial No.: 10/608,734 § Group Art Unit: 2862

Filed: June 27, 2003 § Examiner:

For: Measuring Discontinuity § Atty. Docket No.: 2149-00300

In Seismic Data §
8 Client Ref No.: 2003-IP-011636

STATUS INQUIRY

Commissioner for Patents P. O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

We filed a non-provisional patent application for the above-referenced case with a Petition To Make Special on June 27, 2003. Please inform us as to when we may expect to hear further from the Office in this matter.

A duplicate copy of this letter is enclosed for your reply.

Respectfully submitted,

Daniel J. Krueger Reg. No. 42,771

CONLEY ROSE, P.Q

P. O. Box 3267

Houston, Texas 772/53-3267

(713) 238-8000

AGENT FOR APPLICANT